ELSEVIER

General Subjects

Vol. 1244, 1995

BBA Biochimica et Biophysica Acta

Cumulative Contents

Information for Contributors *vii*

Regular Papers

α-1,4-Glucan lyase, a new class of starch/glycogen degrading enzyme. III. Substrate specificity, mode of action, and cleavage mechanism
S. Yu, T. Ahmad, L. Kenne and M. Pedersén (Sweden) 1

Catalysis of reduction of carbohydrate 2-oxoaldehydes (osones) by mammalian aldose reductase and aldehyde reductase
M.S. Feather, T.G. Flynn, K.A. Munro, T.J. Kubiseski and D.J. Walton (USA, Canada) 10

Keratanase digestion of keratan sulphates: characterization of large oligosaccharides from the *N*-acetyllactosamine repeat sequence and from the non-reducing terminal chain caps
T.N. Huckerby, J.M. Dickenson, G.M. Brown and I.A. Nieduszynski (UK) 17

Structural differences between complex-type Asn-linked glycan chains of glycoproteins in rat hepatocytes and Zajdela hepatoma cells
C. Goulut-Chassaing and R. Bourrillon (France) 30

Characterization of the signal transduction of prostaglandin E receptor EP1 subtype in cDNA-transfected Chinese hamster ovary cells
H. Katoh, A. Watabe, Y. Sugimoto, A. Ichikawa and M. Negishi (Japan) 41

Identification of a mitochondrial inhibitor of rat liver L-threonine dehydrogenase
R. Pagani, R. Guerranti, S. Righi, L. Lazzeretti, R. Leoncini, E. Marinello and M. Pizzichini (Italy) 49

Enzymatic characterization of a novel bovine liver dihydrodiol dehydrogenase – reaction mechanism and bile acid dehydrogenase activity
H. Nanjo, H. Adachi, S. Morihana, T. Mizoguchi, T. Nishihara and T. Terada (Japan) 53

Does peroxynitrite generate hydroxyl radical?
S. Pou, S.Y. Nguyen, T. Gladwell and G.M. Rosen (USA) 62

Comparison of flash-induced light-scattering transients and proton efflux from auxinic-herbicide resistant and susceptible wild mustard protoplasts: a possible role for calcium in mediating auxinic herbicide resistance
S. Deshpande and J.C. Hall (Canada) 69

A double-labelling fluorescent assay for concomitant measurements of $[Ca^{2+}]_i$ and $O_2^{\cdot}$ production in human macrophages
J.-L. Bueb, A. Gallois, J.-C. Schneider, J.-P. Parini and E. Tschirhart (Luxembourg) 79

Changes in mobility of synaptic vesicles with assembly and disassembly of actin network
S. Miyamoto (Japan) 85

Stimulation of gluconeogenesis leads to an increased rate of β-oxidation in hepatocytes from fasted diabetic but not from fasted normal rats
D.C. Henly, J.W. Phillips and M.N. Berry (Australia) 92

On the reduction potentials of Fe and Cu-Zn containing superoxide dismutases
M.F.J.M. Verhagen, E.T.M. Meussen and W.R. Hagen (The Netherlands) 99

Molecular structure of heparan sulphate synthesised by bovine aortic endothelial cells
D.R.R. Hiscock, A. Canfield and J.T. Gallagher (UK) 104

Origin of the nitrogen atom of pyridoxine in *Saccharomyces cerevisiae*
K. Tazuya, Y. Adachi, K. Masuda, K. Yamada and H. Kumaoka (Japan) 113

Androgen hormone binding to adipose tissue in rats
J. Sjögren, M. Li and P. Björntorp (Sweden) 117

Small proteoglycans from different regions of the fibrocartilaginous temporomandibular joint disc
P.G. Scott, T. Nakano and C.M. Dodd (Canada) 121

Purification and characterization of an *N*-acetyllactosamine-specific lectin from tubers of *Arum maculatum*
A.K. Allen (UK) 129

HeLa plasma membranes bind the antitumor sulfonylurea LY181984 with high affinity
D.J. Morré, D.M. Morré, J. Stevenson, W. MacKellar and D. McClure (USA) 133

Inhibition of glycolysis in boar spermatozoa by 1,6-dichloro-1,6-dideoxy-D-fructose
A.R. Jones and C. Morin (Australia, France) 141

Cerastocytin, a new thrombin-like platelet activator from the venom of the Tunisian viper *Cerastes cerastes*

N. Marrakchi, R.B. Zingali, H. Karoui, C. Bon and M. El Ayeb (France, Tunisia) 147

Human cytosolic phospholipase A_2 expressed in insect cells is extensively phosphorylated on Ser-505
K. Abdullah, W.A. Cromlish, P. Payette, F. Laliberté, Z. Huang, I. Street and B.P. Kennedy (Canada) 157

Effect of ultraviolet-A (UV-A) light on growth, photosynthetic activity and production of biopterin glucoside by the marine UV-A resistant cyanobacterium *Oscillatoria* sp.
Y. Wachi, J.G. Burgess, K. Iwamoto, N. Yamada, N. Nakamura and T. Matsunaga (Japan) 165

The action of glucagon infused via the hepatic artery in anterograde and retrograde perfusion of the rat liver is not a function of the accessible cellular spaces
J. Constantin, E.L. Ishii-Iwamoto, F. Suzuki-Kemmelmeier, N.S. Yamamoto and A. Bracht (Brazil) 169

Changes in the molecular types of connectin and nebulin during development of chicken skeletal muscle
A. Hattori, T. Ishii, R. Tatsumi and K. Takahashi (Japan) 179

B/PI-derived synthetic peptides: synergistic effects in tethered bactericidal and endotoxin neutralizing peptides
B.H. Gray, J.R. Haseman and K.H. Mayo (USA) 185

Subcellular localization of 12(*S*)-hydroxy-5,8,10,14-eicosatetraenoic acid binding sites in Lewis lung carcinoma cells
H. Herbertsson and S. Hammarström (Sweden) 191

Diamine and polyamine oxidase activities in phytohaemagglutinin-induced growth of rat small intestine
A. Sessa, P. Tunici, S.W.B. Ewen, G. Grant, A. Pusztai, S. Bardocz and A. Perin (Italy, UK) 198

Effect of glucose phosphorylation on the activation by insulin of skeletal muscle glycogen synthase
C. Villar-Palasi (USA) 203

A new approach to examine conformational changes occurring upon binding of ligand by biomolecules
C. Wingren and U.-B. Hansson (Sweden) 209

Molecular cloning and expression of chick Gal-β1,3GalNAc α2,3-sialyltransferase
N. Kurosawa, T. Hamamoto, M. Inoue and S. Tsuji (Japan) 216

Donor substrate specificities of Galβ1,4GlcNAc α2,6-sialyltransferase and Galβ1,3GalNAc α2,3-sialyltransferase: comparison of *N*-acetyl and *N*-glycolylneuraminic acids
T. Hamamoto, N. Kurosawa, Y.-C. Lee and S. Tsuji (Japan) 223

Rapid Report

Insulin-mediated activation of glycogen synthase in isolated skeletal muscle: role of mitochondrial respiration
A. Katz and H. Westerblad (Sweden) 229

Short Sequence-Papers

Molecular cloning of two glutamate transporter subtypes from mouse brain
Y. Mukainaka, K. Tanaka, T. Hagiwara and K. Wada (Japan) 233

Nucleotide sequences of xylan-inducible xylanase and xylosidase/arabinosidase genes from *Bacteroides ovatus* V975
T.R. Whitehead (USA) 239

Erratum

Erratum to "A sheep hydatid cyst glycoprotein as receptors for three toxic lectins, as well as *Abrus precatorius* and *Ricinis communis* agglutinins" [Biochim. Biophys. Acta 1243 (1995) 124–128]
A.M. Wu, S.-C. Song, J.H. Wu, U. Pfüller, L.-P. Chow and J.-W. Lin (Taiwan, Germany) 243

Regular Papers

The chemical modification of glycosaminoglycan structure by oxygen-derived species in vitro
R. Moseley, R. Waddington, P. Evans, B. Halliwell and G. Embery (UK) 245

Observation of reorientationally hindered water in biological tissue using triple quantum filtered ^{17}O-NMR
C.W. Flesche, M.L.H. Gruwel, A. Deussen and J. Schrader (Germany) 253

Synthesis and characterisation of fluorescent oligonucleotides. Effect of internal labelling on protein recognition
P. Hagmar, M. Bailey, G. Tong, J. Haralambidis, W.H. Sawyer and B.E. Davidson (Australia) 259

Characterisation of glucose transport in *Helicobacter pylori*
G.L. Mendz, B.P. Burns and S.L. Hazell (Australia) 269

Binding of lithocholate and its glucuronide and sulfate by human serum albumin
H. Takikawa, Y. Sekiya, M. Yamanaka and Y. Sugiyama (Japan) 277

Microcalorimetric evaluation of the effect of combined chemotherapeutic drugs
T. Roig and J. Bermúdez (Spain) 283
Diffusion characteristics of chitosan-entrapped microsomal UDP-glucuronyl transferase gel beads
F. Zihnioğlu and A. Telefoncu (Turkey) 291
Trehazolin, a slow, tight-binding inhibitor of silkworm trehalase
O. Ando, M. Nakajima, M. Kifune, H. Fang and K. Tanzawa (Japan) 295
Abolition of the inhibitory effect of ethanol oxidation on gluconeogenesis from lactate by asparagine or low concentrations of ammonia
M.-A. Efthivoulou, J.W. Phillips and M.N. Berry (Australia) 303
Reconstitution of lysosomal sulfate transport in proteoliposomes
P.J. Koetters, H.-F. Chou and A.J. Jonas (USA) 311
Purification and characterization of a heat-stable wheat substrate for wheat embryo calcium-dependent protein kinase
A. Chang, R. Condron, G.M. Neumann and G.M. Polya (Australia) 317
Presence of elastin-related 45-kDa fragment in culture medium: specific cleavage product of tropoelastin in vascular smooth muscle cell culture
A. Hayashi, H. Wachi and S. Tajima (Japan) 325
Flavocetin-A and -B, two high molecular mass glycoprotein Ib binding proteins with high affinity purified from *Trimeresurus flavoviridis* venom, inhibit platelet aggregation at high shear stress
Y. Taniuchi, T. Kawasaki, Y. Fujimura, M. Suzuki, K. Titani, Y. Sakai, S. Kaku, N. Hisamichi, N. Satoh, T. Takenaka, M. Handa and Y. Sawai (Japan) 331
Properties of base-pairing in the stem region of hairpin antisense oligonucleotides containing 2′-methoxynucleosides
K. Hosono, T. Kuwasaki, S. Tsukahara, K. Takai and H. Takaku (Japan) 339
Mixed valence state in ironporphyrin aggregates
K. Burda, A. Hrynkiewicz, H. Kołoczek, J. Stanek and K. Strzałka (Poland) 345
Kinetics of adenylate metabolism in human and rat myocardium
M. Tavenier, A.C. Skladanowski, R.A. De Abreu and J.W. De Jong (Netherlands, Poland) 351
Study of stimulation-secretion coupling in a flow culture system: periodic secretion of hepatocyte growth factor by interleukin-1 α-stimulated human embryonic lung fibroblasts
M. Shimizu, Y. Takakuwa and S. Nitta (Japan) 357
Degradation of *trans*-ferulic and *p*-coumaric acid by *Acinetobacter calcoaceticus* DSM 586
D. Delneri, G. Degrassi, R. Rizzo and C.V. Bruschi (Italy) 363
Identification and evaluation of the role of endogenous tyrosine kinases in azoxymethane induction of proliferative processes in the colonic mucosa of rats
N.K. Relan, A. Saeed, K. Ponduri, S.E.G. Fligiel, S. Dutta and A.P.N. Majumdar (USA) 368
Carbohydrate specificity of the *Escherichia coli* P-pilus papG protein is mediated by its N-terminal part
L. Hansson, P. Wallbrandt, J.-O. Andersson, M. Byström, A. Bäckman, A. Carlstein, K. Enquist, H. Lönn, C. Otter and M. Strömqvist (Sweden) 377
Precursor–product relationship between chicken vitellogenin and the yolk proteins: the 40 kDa yolk plasma glycoprotein is derived from the C-terminal cysteine-rich domain of vitellogenin II
J.-i. Yamamura, T. Adachi, N. Aoki, H. Nakajima, R. Nakamura and T. Matsuda (Japan) 384
The dynamics of cobalamin utilization in L-1210 mouse leukemia cells: a model of cellular cobalamin metabolism
E.V. Quadros and D.W. Jacobsen (USA) 395
D-*myo*-Inositol 1,4,5-trisphosphate analogues substituted at the 3-hydroxyl group
M. Hirata, Y. Watanabe, T. Kanematsu, S. Ozaki and T. Koga (Japan) 404
Sheep κ-casein peptides inhibit platelet aggregation
Z.-Y. Qian, P. Jollès, D. Migliore-Samour, F. Schoentgen and A.-M. Fiat (France) 411
Optimal conditions to radiolabel (^{3}H or ^{14}C) aminosugar-containing glycosphingolipids by de-N-acetylation and re-N-acetylation
A. Rebbaa and J. Portoukalian (France) 418

Cumulative Conents, Vol. 1244 423

Author Index 426